

BOARD MEETING DATE: February 1, 2013

AGENDA NO. 13

REPORT: Hearing Board Report

SYNOPSIS: This reports the actions taken by the Hearing Board during the period of December 1 through December 31, 2012.

COMMITTEE: No Committee Review

RECOMMENDED ACTION:

Receive and file this report.

Edward Camarena
Chairman of Hearing Board

DP

Two summaries are attached: **Rules From Which Variances and Orders for Abatement Were Requested in 2012** and **December 2012 Hearing Board Cases**.

The total number of appeals filed during the period December 1 to December 31, 2012 is 0; and total number of appeals filed during the period of January 1 to December 31, 2012 is 5.

Rules from which Variances and Order for Abatements were Requested in 2012

	2012	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Action
1133.2(d)(8)														0
1134(c)														0
1134(c)(1)														0
1134(d)														0
1134(d)(1)														0
1134(d)(2)(B)(ii)														0
1134(f)														0
1134(g)(2)														0
1135(c)(3)														0
1135(c)(3)(B)														0
1135(c)(3)(C)														0
1135(c)(4)														0
1135(c)(4)(D)														0
1136														0
1145(c)(2)														0
1136(c)(1)(A)(i)														0
1137(d)(2)														0
1145(c)(1)														0
1145(c)(2)														0
1145(g)(2)														0
1145(h)(1)(E)														0
1146(c)(2)(A)								1						1
1146.1(e)(1)														0
1150.1(d)(5)														0
1150.1(d)(12)								1						1
1150.1(e)														0
1150.1(e)(1)(C)														0
1150.1(e)(2)														0
1150.1(e)(2)(C)														0
1146					1									1
1146(c)(2)(A)												1		1
1146(c)(5)														0
1146(c)(1)(I)										1	1		5	7
1146.1														0
1146.1(a)(2)														0
1146.1(a)(8)														0
1146.1(b)														0
1146.1(c)(1)(G)													1	1
1146.1(c)(2)													2	2
1146.1(c)(3)														0
1146.1(e)														0
1146.1(e)(1)(B)														0
1146.2														0
1146.2(c)(3)														1
1146.2(c)(5)													1	1
1146.2(e)														1
1147(c)(1)										1		1		2

Rules from which Variances and Order for Abatements were Requested in 2012

	2012	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Action
1171														0
1171(c)														0
1171(c)(1)														0
1171(c)(1)(A)(i)														0
1171(c)(1)(b)(i)														0
1171(c)(4)														0
1171(c)(5)														0
1171(c)(5)(A)(i)														0
1171(c)(6)														0
1173														0
1173(c)														0
1173(d)														0
1173(e)(1)														0
1173(f)(1)(E)												1		1
1173(g)														0
1175														0
1175(c)(2)														0
1175(c)(4)(B)														0
1175(c)(4)(B)(i)														0
1175(c)(4)(B)(ii)														0
1175(c)(4)(B)(ii)(I)														0
1175(b)(1) (C)														0
1175(d)(4)(ii)(II)														0
1176														0
1176(e)														0
1176(e)(1)														0
1176(e)(2)														0
1176(e)(2)(A)														0
1176(e)(2)(A)(ii)														0
1176(e)(2)(B)(v)														0
1178(d)(1)(A)(xiii)														0
1178(d)(1)(A)(xiv)														0
1178(d)(1)(B)														0
1176(f)(3)														0
1178(d)(1)(C)														0
1178(d)(3)(C)														0
1178(d)(3)(D)														0
1178(d)(3)(E)														0
1178(d)(4)(A)(i)														0
1178(g)														0
1186.1														0
1186.1														0
1189(c)(3)														0
1195														0
1195(d)(1)(D)														0
1303						1								1
1303(a)(1)												1		1

Rules from which Variances and Order for Abatements were Requested in 2012

	2012	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Action
1303(a)(2)														0
1401														0
1401(d)(1)														0
1401(d)(1)(A)														0
1401(d)(1)(B)														0
1405(d)(3)(C)														0
1407(d)														0
1407(d)(1)														0
1407(d)(2)														0
1407(d)(4)														0
1407(f)(1)														0
1415(d)(3)														0
1418(d)(2)(A)														0
1420							2							2
1420.1(g)(4)								1						1
1421(d)														0
1421(d)(1)(C)														0
1421(d)(1)(G)														0
1421(d)(3)(A)														0
1421(e)(2)(c)														0
1421(e)(1)(A)(vii)														0
1421(e)(3)(B)														0
1421(h)(1)(A)														0
1421(h)(1)(B)														0
1421(h)(1)(C)														0
1421(h)(1)(E)														0
1421(h)(3)														0
1421(i)(1)(C)														0
1425(d)(1)(A)														0
1469														0
1469(c)														0
1469(c)(8)														0
1469(c)(11)(A)														0
1469(d)(5)														0
1469(e)(1)														0
1469(e)(2)														0
1469(g)(2)														0
1469(h)														0
1469(i)														0
1469(j)(4)(A)														0
1469(j)(4)(D)														0
1469(k)(3)(A)														0
1470		1	1	2										4
1470(c)(2)(C)(i)(I)						1								1
1470(c)(2)(C)(iv)														0
1470(c)(3)(B)														0
1470(c)(3)(C)(iii)			1	1					2					4

Report of December 2012 Hearing Board Cases

Case Name and Case No.	Rules	Reason for Petition	District Position/ Hearing Board Action	Type and Length of Variance or Order	Excess Emissions
1. City of Los Angeles, Department of Airports Case No. 4703-8 (K. Manwaring)	203(b) 2004(f)(1) 3002(c)(1)	Emergency ICE for powering runway approach lighting at LAX likely to exceed annual operating time limit.	Not Opposed/Granted	IV granted commencing 12/13/12 and continuing through 12/31/12 or until the SV hearing currently scheduled for 12/20/12, whichever comes first.	PM: TBD by 12/27/12
2. City of Los Angeles, Department of Airports Case No. 4703-8 (M. Reichert)	203(a) 2004(f)(1) 3002(c)(1)	Emergency ICE for powering runway approach lighting at LAX likely to exceed annual operating time limit.	Not Opposed/Granted	SV granted commencing 12/20/12 and continuing through 12/31/12.	PM: TBD by 1/4/13
3. Crockett Packaging Case No. 5913-1 M. Reichert)	1146(c)(1)(I)	Corrugated packaging company operates noncompliant boiler.	Not Opposed/Granted	SV granted commencing 1/1/13 and continuing through 2/28/13.	NO _x : 0.5 lb/day
4. Hydro Systems Inc. Case No. 5563-4 (T. Barrera)	203(b)	Thermal oxidizer does not meet 95% destruction efficiency and system does not meet overall 85.5% efficiency.	Opposed/Denied	Ex Parte EV denied.	N/A
5. SCAQMD vs. Javier Paz Alcala dba Uruapan Body Shop Case No. 5910-1 (E. Marquez/N. Sanchez)	203a	Respondent operates paint spray booth without permit to operate.	Not Stipulated/Issued	O/A issued commencing 12/12/12 and continuing through 2/28/13. The Hearing Board shall retain jurisdiction over this matter until 5/31/13.	N/A
6. SCAQMD vs. Physicians for Healthy Hospitals, Inc., dba Hemet Valley Medical Center Case No. 5901-2 (N. Sanchez)	1146(c)(1)(I)	Hospital operates noncompliant boilers.	Stipulated/Issued	O/A issued commencing 1/1/13 and continuing through 8/31/13. The Hearing Board shall retain jurisdiction over this matter until 8/31/13.	N/A
7. SFPP, L.P. Case No. 4215-12 (N. Sanchez)	1146(c)(1)(I)	Petroleum product bulk loading terminal operates noncompliant heater and oxidizer.	Not Opposed/Granted	SV granted commencing 1/1/13 and continuing through 3/31/13.	NO _x : 7.7 lbs/day

Case Name and Case No.	Rules	Reason for Petition	District Position/ Hearing Board Action	Type and Length of Variance or Order	Excess Emissions
8. Terrible Herbst Inc #285 Case No. 5914-1 (K. Manwaring)	203(b) 461	Petitioner operates GDF with blocked vent line.	Not Opposed/Granted	Ex Parte EV granted commencing 12/7/12 and continuing for 30 days or until the EV hearing currently scheduled for 12/13/12, whichever comes first.	VOC: TBD by 12/21/12
9. Terrible Herbst Inc. #285 Case No. 5914-1 (K. Manwaring)	203(b) 461	Petitioner operates GDF with blocked vent line.	Opposed/Denied	EV denied.	N/A
10. U.C. Regents – University of California Case No. 5708-2 (N. Sanchez)	202(a) 203(b), 1146(c)(1)(I) 3002(c)(1)	Petitioner operates noncompliant boiler.	Not Opposed/Granted	Ex Parte EV granted commencing 12/13/12 and continuing for 30 days or until the EV hearing currently scheduled for 12/19/12, whichever comes first.	VOC: 75 lbs/day
11. UC Regents – University of California Case No. 5708-2 (T. Barrera)	202(a) 203(b) 1146(c)(1)(I) 3002(c)(1)	Petitioner operates noncompliant boiler.	Not Opposed/Granted	EV granted commencing 12/19/12 and continuing through 1/12/13.	NO _x : 2.54 lbs/hr CO: 112.92 lbs/hr VOC: 1.12 lbs/hr PM10: 1.68 lbs/hr SO _x : .132 lb/hr
12. Ultramar, Inc., dba Valero Wilmington Refinery Case No. 3845-85 (T. Barrera)	202(a) 203(b) 401(b) 407(a) 2004(f)(1) 3002(c)(1) CH&S §41701	Malfunction in alky unit required shut down of various units to avoid damage to equipment. Shutdown, idling and start-up of FCCU will result in violation of opacity limit and permit conditions.	Not Opposed/Granted	Ex Parte EV granted commencing 12/27/12 and continuing for 30 days or until the EV hearing currently scheduled for 1/9/13, whichever comes first.	NO _x : 33 lbs/day ROG: 31 lbs/day CO: 352 lbs/day PM: 11 lbs/day

Acronyms

CO: Carbon Monoxide

EV: Emergency Variance

FCCU: Fluid Catalytic Cracking Unit

FCD: Final Compliance Date

GDF: Gasoline Dispensing Facility

H&S: Health & Safety Code

ICE: Internal Combustion Engine

I/P: Increments of Progress

IV: Interim Variance

MFCD/EXT: Modification of a Final Compliance Date and Extension of a Variance

Mod. O/A: Modification of an Order for Abatement

NH3: Ammonia

NOV: Notice of Violation

NO_x: Oxides of Nitrogen

O/A: Order for Abatement

PM: Particulate Matter

ROG: Reactive Organic Gas

RV: Regular Variance

SO₂: Sulfur Dioxide

SO_x: Oxides of Sulfur

SV: Short Variance

TBD: To be determined

VOC: Volatile Organic Compounds

VRS: Vapor Recovery System